

FIG. 1




FIG. 2




FIG. 3




FIG. 4

The graph displays the protein concentration (in  $\mu\text{g Protein / ml}$ ) as a function of pH (from 0 to 14) for four different samples. The y-axis ranges from 0 to 80  $\mu\text{g Protein / ml}$  in increments of 10. The x-axis ranges from 0 to 14 in increments of 2. The four samples are: Waxy Pass 1 (diamonds), Waxy Pass 2 (squares), Non-Waxy Pass 1 (crosses), and Non-Waxy Pass 2 (circles).

pH	Waxy Pass 1 ( $\mu\text{g Protein / ml}$ )	Waxy Pass 2 ( $\mu\text{g Protein / ml}$ )	Non-Waxy Pass 1 ( $\mu\text{g Protein / ml}$ )	Non-Waxy Pass 2 ( $\mu\text{g Protein / ml}$ )
3	48	70	70	35
4	40	42	40	35
5	45	48	42	40
6	45	48	42	40
7	45	48	42	40
8	45	62	42	40
9	45	65	42	40
10	75	65	42	40
11	45	65	42	40
12	45	65	42	40

FIG. 5




FIG. 6a



FIG. 6b




FIG. 6c




FIG. 6d



FIG. 6e



FIG. 6f






FIG. 6g




FIG. 6h




FIG. 7a

TABLE 1 continued




FIG. 7b




FIG. 7c




FIG. 7d




FIG. 8a




FIG. 8b




FIG. 8c






FIG. 8d




FIG. 9a




FIG. 9b




FIG. 10a




FIG. 10b

FIG. 11a




FIG. 11a




FIG. 11b




FIG. 12a






FIG. 12b




FIG. 12c